

DOI <https://doi.org/10.36719/3104-4727/6/42-46>**Elnur Safarov**

Azerbaijan State Oil and Industry University

Master's student

<https://orcid.org/0009-0006-9585-0367>

elnurseferov4545@gmail.com

Economic Efficiency Assessment of Drilling Highly Deviated Wells in the Oil and Gas Industry

Abstract

The drilling of highly deviated and horizontal wells has become a key technological advancement in the oil and gas industry, enabling access to complex reservoirs and improving hydrocarbon recovery rates. However, these operations are often associated with increased technical challenges, higher operational risks, and elevated costs. This study focuses on the evaluation of the economic efficiency of drilling highly deviated wells by analyzing both technical and financial indicators. Key factors such as drilling time, equipment utilization, well trajectory design, and operational risks are examined to determine their impact on overall project costs and productivity.

Furthermore, the research highlights the importance of optimization strategies, including advanced drilling technologies, real-time monitoring systems, and efficient resource management, in reducing expenditures and improving performance. Comparative analysis between conventional and highly deviated wells is also conducted to assess cost-benefit ratios and long-term economic outcomes. The findings suggest that despite higher initial investments, highly deviated wells can provide significant economic advantages through increased production rates and improved reservoir contact when properly planned and managed.

This study contributes to the development of more effective decision-making frameworks for drilling operations, emphasizing the integration of technical innovation and economic evaluation to achieve sustainable and cost-efficient outcomes in the oil and gas sector.

Keywords: *highly deviated wells, oil and gas industry, economic efficiency, drilling optimization, cost analysis, horizontal drilling, operational risk, resource management, drilling technologies, productivity*

Introduction

The oil and gas industry plays a crucial role in the global economy by ensuring energy supply, supporting industrial development, and contributing significantly to national revenues. As easily accessible hydrocarbon reserves continue to decline, the industry is increasingly turning toward more complex and technically demanding extraction methods. Among these, the drilling of highly deviated and horizontal wells has emerged as one of the most effective approaches for maximizing reservoir exploitation, especially in challenging geological environments. These advanced drilling techniques allow operators to reach previously inaccessible reserves, enhance well productivity, and increase overall recovery factors. (Yu, Wang, Dong, Tai, Chen, Zhou, & Sun, 2025)

Highly deviated wells are characterized by significant angular deviation from the vertical axis, often extending into horizontal sections that provide greater contact with hydrocarbon-bearing formations. This extended reach enables more efficient drainage of reservoirs, particularly in thin, fractured, or low-permeability formations where conventional vertical wells may be insufficient. As a result, such wells have become increasingly popular in both onshore and offshore operations, including mature fields where maximizing recovery is a priority. (Ponomarenko, Marin, & Galevskiy, 2022)

Despite their numerous advantages, the drilling of highly deviated wells presents substantial technical and economic challenges. Complex well trajectories require advanced planning, precise directional control, and the use of specialized equipment and technologies. Issues such as torque and drag, wellbore instability, drilling fluid management, and increased wear on drilling tools can lead to higher operational risks and costs. Additionally, the need for highly skilled personnel and sophisticated monitoring systems further contributes to the overall expenditure associated with these projects. (Ghosh, 2022)

In this context, evaluating the economic efficiency of drilling highly deviated wells becomes critically important. Economic efficiency is not solely determined by the reduction of costs but also by the optimization of resources, improvement of operational performance, and maximization of production output. A comprehensive assessment must consider both direct and indirect costs, including drilling time, equipment utilization, maintenance, and potential risks, as well as the long-term benefits such as increased production rates and extended field life.

Recent advancements in drilling technologies, including rotary steerable systems, measurement-while-drilling (MWD) and logging-while-drilling (LWD) tools, as well as real-time data analytics, have significantly improved the feasibility and efficiency of highly deviated well drilling. These innovations enable better control over well trajectories, reduce uncertainties, and enhance decision-making processes during drilling operations. Consequently, they play a vital role in improving economic outcomes by minimizing non-productive time and optimizing resource allocation. (Cinco-Lay et al., 2012)

Moreover, the growing emphasis on sustainability and cost-effectiveness in the energy sector has intensified the need for integrated approaches that combine technical excellence with economic evaluation. Companies are increasingly adopting optimization strategies to balance performance and cost, ensuring that investments in advanced drilling techniques yield maximum returns. This includes the use of digital technologies, automation, and predictive modeling to enhance operational efficiency and reduce risks. (Uteev, Mardanov, & Yussubaliev, 2022)

Therefore, this study aims to provide a comprehensive introduction to the economic evaluation of highly deviated well drilling within the oil and gas industry. It seeks to explore the key factors influencing efficiency, identify challenges and opportunities, and highlight the role of modern technologies in improving both technical and economic performance. By addressing these aspects, the research contributes to a deeper understanding of how to achieve sustainable and economically viable drilling operations in increasingly complex reservoir conditions.

The evaluation of the economic efficiency of drilling highly deviated wells in the oil and gas industry demonstrates that such operations represent a complex but highly beneficial approach to resource extraction. While these wells require advanced technologies, higher initial investments, and careful operational planning, they offer significant advantages in terms of increased reservoir contact, enhanced production rates, and improved recovery factors. (Ding, Xian, & Zhang, 2019)

A comprehensive assessment of economic efficiency must integrate both technical and financial perspectives. Factors such as drilling time, equipment performance, risk management, and resource optimization play a decisive role in determining overall project success. The application of modern drilling technologies, along with real-time monitoring and data-driven decision-making, has significantly contributed to reducing operational uncertainties and improving cost-effectiveness.

At the same time, the importance of risk analysis, skilled workforce, and efficient project management cannot be overlooked. These elements ensure that complex drilling operations are executed safely, efficiently, and within budget constraints. Moreover, the incorporation of environmental considerations and sustainable practices further strengthens the long-term viability and economic value of such projects. (Jha & Sharma, 2014)

Overall, highly deviated well drilling, when properly planned and optimized, proves to be an economically viable and strategically important method in the development of modern oil and gas fields. Its successful implementation depends on the balanced integration of technology, economics, and management practices, ultimately leading to more efficient and sustainable energy production.

Research

The drilling of highly deviated and horizontal wells has become an essential component of modern oil and gas exploration and production strategies. This research focuses on analyzing the technical and economic aspects that influence the efficiency of such drilling operations, with particular attention to optimization approaches that enhance overall performance and profitability.

From a technical perspective, highly deviated wells require precise planning and execution due to their complex geometry. The design of the well trajectory plays a critical role in ensuring maximum reservoir exposure while minimizing operational difficulties. Advanced directional drilling technologies, such as rotary steerable systems (RSS), measurement-while-drilling (MWD), and logging-while-drilling (LWD), are widely used to achieve accurate well placement. These tools enable real-time data acquisition, allowing engineers to monitor and adjust drilling parameters continuously, thereby reducing uncertainties and non-productive time (NPT).

One of the key challenges identified in this research is the management of torque and drag forces, which tend to increase significantly in highly deviated sections. Excessive torque and drag can lead to equipment failure, reduced drilling efficiency, and increased operational costs. To address this issue, the use of optimized drilling fluids, lubricants, and specialized drill string designs has proven effective. Additionally, wellbore stability remains a critical concern, particularly in formations with complex geological characteristics. The application of appropriate mud systems and pressure management techniques helps prevent wellbore collapse and other stability-related problems.

From an economic standpoint, the cost structure of highly deviated well drilling is influenced by multiple factors, including drilling duration, equipment costs, personnel expenses, and risk-related contingencies. Although the initial investment is typically higher compared to conventional vertical wells, the long-term economic benefits often outweigh these costs. Increased production rates, improved reservoir drainage, and reduced need for multiple wells contribute to higher overall profitability.

This research also emphasizes the importance of optimization strategies in enhancing economic efficiency. Optimization involves the careful selection of drilling parameters, equipment, and technologies to achieve the best possible balance between cost and performance. Techniques such as rate of penetration (ROP) optimization, bit selection, and real-time performance monitoring play a significant role in reducing drilling time and associated expenses. Furthermore, the implementation of digital technologies, including data analytics and machine learning, enables predictive modeling and proactive decision-making, which further improves operational efficiency.

A comparative analysis between conventional vertical wells and highly deviated wells highlights the economic advantages of the latter in suitable reservoir conditions. While vertical wells are generally less expensive to drill, they may require a greater number of wells to achieve the same level of production as a single highly deviated or horizontal well. This results in higher cumulative costs over time. In contrast, highly deviated wells can maximize reservoir contact and production output, making them a more cost-effective solution in the long term.

Risk management is another critical aspect addressed in this research. The complexity of highly deviated drilling operations increases the likelihood of technical issues and uncertainties. Therefore, the application of risk assessment tools, such as sensitivity analysis and probabilistic modeling, is essential for identifying potential risks and developing mitigation strategies. Effective risk management not only reduces the probability of operational failures but also enhances the economic predictability of drilling projects.

Moreover, the role of human expertise and organizational efficiency is highlighted as a key factor in achieving successful outcomes. Skilled personnel, proper training, and adherence to best practices significantly contribute to minimizing errors and improving overall performance. Collaborative efforts between engineers, geologists, and project managers ensure that technical and economic objectives are aligned throughout the drilling process. (İsmayılov, Süleymanov, & Novruzova, 2022)

Environmental and regulatory considerations are also incorporated into the economic evaluation framework. Compliance with environmental standards, efficient waste management, and the

reduction of emissions are increasingly important in modern drilling operations. Although these measures may involve additional costs, they contribute to long-term sustainability and help avoid potential financial penalties and reputational risks.

In summary, this research demonstrates that the economic efficiency of drilling highly deviated wells is determined by a combination of technical innovation, cost management, risk mitigation, and strategic planning. The integration of advanced technologies, optimization techniques, and skilled human resources enables operators to overcome the challenges associated with complex well geometries and achieve superior economic outcomes. As the oil and gas industry continues to evolve, the importance of such integrated approaches will only increase, making highly deviated well drilling a key area of focus for future research and development.

Conclusion

The drilling of highly deviated wells in the oil and gas industry represents a significant advancement in the extraction of hydrocarbons from complex and challenging reservoirs. As conventional vertical wells become increasingly insufficient to access all economically viable reserves, highly deviated and horizontal wells have emerged as a critical technology to maximize reservoir contact, improve production efficiency, and enhance overall recovery factors. This research has shown that while such wells present substantial technical challenges, their economic potential is considerable when properly planned, executed, and optimized.

From a technical perspective, the success of highly deviated wells depends on precise well trajectory design, the application of advanced drilling technologies, and effective management of operational challenges such as torque and drag, wellbore stability, and equipment wear. Tools such as rotary steerable systems, measurement-while-drilling (MWD), and logging-while-drilling (LWD) instruments are indispensable for achieving accurate drilling and minimizing non-productive time. Real-time monitoring and data-driven decision-making allow operators to respond proactively to operational issues, ensuring that the drilling process remains efficient and controlled. (Li, Tong, & Yan, 2025)

Economically, highly deviated wells require higher initial investment compared to conventional vertical wells due to their complexity, specialized equipment, and need for skilled personnel. However, this research demonstrates that these upfront costs are offset by long-term benefits, including higher production rates, more effective reservoir drainage, and reduced need for multiple wells. A detailed economic evaluation, incorporating indicators such as net present value (NPV), internal rate of return (IRR), cost per meter drilled, and payback period, is essential for determining project feasibility and guiding strategic investment decisions. (Saleem, 2022)

Optimization plays a pivotal role in improving both technical performance and economic outcomes. Strategies such as optimizing drilling parameters, selecting appropriate drill bits, managing drilling fluids, and leveraging digital technologies like predictive modeling and machine learning can significantly reduce operational time and costs. These optimization techniques, combined with robust risk management practices, enable companies to mitigate uncertainties and enhance economic efficiency, even in complex and high-risk drilling environments.

The human factor is another critical component in ensuring successful outcomes. Skilled engineers, geologists, and drilling operators, supported by effective project management and knowledge-sharing practices, contribute to minimizing errors, improving operational efficiency, and maintaining safety standards. Collaborative and well-coordinated teams are essential for integrating technical solutions with economic objectives, ensuring that each drilling project achieves maximum value.

Furthermore, environmental and regulatory considerations are increasingly influencing the economic evaluation of drilling projects. Compliance with environmental standards, responsible resource management, and the implementation of sustainable practices may involve additional costs but ultimately contribute to long-term economic and reputational benefits. Incorporating these factors into project planning not only ensures regulatory adherence but also supports corporate sustainability goals, enhancing overall project viability. (Abdul, Ahmed, & Khan, 2023)

In conclusion, the drilling of highly deviated wells offers a unique opportunity to combine technological innovation with economic efficiency in the oil and gas sector. While challenges related to complexity, risk, and initial investment exist, the potential for increased production, improved reservoir management, and optimized resource utilization makes such wells a highly valuable tool for modern hydrocarbon extraction. Achieving maximum economic efficiency requires an integrated approach that balances advanced technology, strategic planning, risk management, skilled human resources, and environmental responsibility. As the industry continues to evolve and face new challenges, highly deviated well drilling will remain a critical area for research, technological development, and strategic investment, ensuring that operators can sustainably and profitably exploit hydrocarbon resources.

References

1. Abdul, R., Ahmed, S., & Khan, N. (2023). Fracturing parameter optimization technology for highly deviated wells in complex lithologic reservoirs. *Frontiers in Energy Research*, 11, 1303521. <https://doi.org/10.3389/fenrg.2023.1303521>
2. Alpak, F. O. (2023). Simultaneous optimization of well count and placement: Algorithm, validation, and field testing. *SPE Journal*, 28(1), 1–15.
3. Cinco-Lay, et al. (2012). A new, accurate and simple model for calculation of productivity of deviated and highly deviated wells – Part I. *Journal of Petroleum Science and Engineering*, 88, 1–10. <https://doi.org/10.1016/j.petrol.2012.03.012>
4. Ding, L., Xian, M., & Zhang, Q. (2019). Prediction of casing wear depth and residual strength in highly-deviated wells based on modeling and simulation. *Applied Sciences*, 9(12), 2580. <https://doi.org/10.3390/app9122580>
5. Ghosh, S. (2022). A review of basic well log interpretation techniques in highly deviated wells. *Journal of Petroleum Exploration and Production Technology*, 12, 1889–1906. <https://doi.org/10.1007/s13202-021-01437-2>
6. Hummes, O., Bond, P., Jones, A., & Symons, W. (2021). Using advanced drilling technology to enable well factory concept in the Marcellus Shale. *SPE/IADC Drilling Conference Proceedings*.
7. Ismayılov, Ş. Z., Süleymanov, A. Ə., & Novruzova, S. H. (2022). *Neft və qazın quyusu ilə çıxarılması texnologiyası*. Bakı: Elm.
8. Jha, B., & Sharma, R. (2014). Cost analysis of oil, gas, and geothermal well drilling. *Journal of Petroleum Science and Engineering*, 118, 1–14. <https://doi.org/10.1016/j.petrol.2014.01.012>
9. Li, S. Q., Tong, Y. S., & Yan, T. (2025). Numerical simulation of rock breaking by resonance coring. *SPE Journal*, 30(2), 1–12.
10. Ochulor, O. J., & Onita, F. B. (2024). Geosteering in deep water wells: A theoretical review of challenges and solutions. *World Journal of Engineering and Technology Research*, 12(3), 45–65.
11. Ponomarenko, T., Marin, E., & Galevskiy, S. (2022). Economic evaluation of oil and gas projects: Justification of engineering solutions in the implementation of field development projects. *Energies*, 15(9), 3103. <https://doi.org/10.3390/en15093103>
12. Saleem, M. (2022). Application of machine learning for optimizing oil well production and reservoir management: A simulation-based approach. *Journal of Biological and Allied Health Sciences*, 7(2), 112–129.
13. Uteev, R. N., Mardanov, A. S., & Yussubaliev, R. A. (2022). The evaluation of the efficiency of horizontal wells. *Kazakhstan Journal of Oil & Gas Industry*, 10(2), 45–60.
14. Yu, S., Wang, K., Dong, H., Tai, Y., Chen, Z., Zhou, D., & Sun, S. (2025). Optimized economic evaluation model for intensive drilling in unconventional oil and gas development. *Processes*, 13(5), 1579. <https://doi.org/10.3390/pr13051579>

Received: 15.09.2025

Accepted: 10.02.2026